

**geschweißte und maßgewalzte Rohre / welded cold sized tubes
rechteckig / rectangular**

Gewichte in kg pro meter / weight in kg per meter

a	b	Wandstärke / Wall Thickness in mm										
		0,5	0,6	0,8	0,9	1,0	1,2	1,5	1,8	2,0	2,5	3,0
5	10	0,109	0,129	0,167	0,185	0,202	0,235					
10	15	0,188	0,224	0,293	0,326	0,359	0,423	0,514	0,599	0,653		
10	17	0,204	0,242	0,318	0,355	0,391	0,461	0,561	0,656	0,715		
10	20	0,227	0,271	0,356	0,397	0,438	0,518	0,632	0,741	0,810		
10	24	0,259	0,308	0,406	0,454	0,501	0,593	0,726	0,854	0,935		
10	25	0,266	0,318	0,418	0,468	0,516	0,612	0,750	0,882	0,967		
10	30		0,365	0,481	0,538	0,595	0,706	0,868	1,023	1,124		
10	35		0,412	0,544	0,609	0,673	0,800	0,985	1,165	1,281		
10	40		0,459	0,607	0,680	0,752	0,894	1,103	1,306	1,438		
10	45			0,670	0,750	0,830	0,989	1,221	1,447	1,595	1,952	
10	50			0,732	0,821	0,909	1,083	1,339	1,588	1,752		
10	58				0,934	1,035	1,233	1,527	1,814	2,003		
10	60				0,962	1,066	1,271	1,574	1,871	2,066		
11	35							1,009	1,193	1,312		
11	70					1,239	1,478	1,833	2,182	2,411	2,972	
12	20	0,243	0,290	0,381	0,425	0,469	0,555	0,679	0,797	0,872		
12	25		0,337	0,444	0,496	0,548	0,649	0,797	0,938	1,029		
14	58				0,991	1,097	1,309	1,621	1,928	2,128		
15	20	0,266	0,318	0,418	0,468	0,516	0,612	0,750	0,882	0,967		
15	25		0,365	0,481	0,538	0,595	0,706	0,868	1,023	1,124		
15	30		0,412	0,544	0,609	0,673	0,800	0,985	1,165	1,281		
15	35		0,459	0,607	0,680	0,752	0,894	1,103	1,306	1,438		
15	40			0,670	0,750	0,830	0,989	1,221	1,447	1,595		
15	45				0,821	0,909	1,083	1,339	1,588	1,752	2,148	
15	50				0,892	0,987	1,177	1,456	1,730	1,909		
15	60				1,033	1,144	1,365	1,692	2,012	2,223	2,737	
15	70					1,301	1,554	1,927	2,295	2,537	3,129	
15	80						1,742	2,163	2,578	2,851	3,522	
16	30		0,421	0,557	0,623	0,689	0,819	1,009	1,193	1,312		
16	35		0,469	0,619	0,694	0,768	0,913	1,127	1,334	1,469		
18	30		0,440	0,582	0,651	0,721	0,857	1,056	1,249	1,375		
18	58			0,933	1,047	1,160	1,384	1,715	2,041	2,254	2,776	
20	25		0,412	0,544	0,609	0,673	0,800	0,985	1,165	1,281		
20	30		0,459	0,607	0,680	0,752	0,894	1,103	1,306	1,438		
20	33			0,645	0,722	0,799	0,951	1,174	1,391	1,532		
20	35			0,670	0,750	0,830	0,989	1,221	1,447	1,595	1,952	
20	40			0,732	0,821	0,909	1,083	1,339	1,588	1,752	2,148	
20	45				0,892	0,987	1,177	1,456	1,730	1,909	2,344	
20	50				0,962	1,066	1,271	1,574	1,871	2,066		
20	60					1,223	1,460	1,810	2,154	2,380	2,933	

a	b	Wandstärke / Wall Thickness in mm										
		0,5	0,6	0,8	0,9	1,0	1,2	1,5	1,8	2,0	2,5	3,0
20	70						1,648	2,045	2,436	2,694	3,326	
20	80						1,836	2,281	2,719	3,008	3,718	
20	100						2,213	2,752	3,284	3,636	4,503	
20	30	0,384	0,459	0,607	0,680	0,752	0,894	1,103	1,306	1,438		
25	30			0,670	0,750	0,830	0,989	1,221	1,447	1,595		
25	35			0,732	0,821	0,909	1,083	1,339	1,588	1,752	2,148	
25	40				0,892	0,987	1,177	1,456	1,730	1,909	2,344	
25	45				0,962	1,066	1,271	1,574	1,871	2,066	2,541	
25	50				1,033	1,144	1,365	1,692	2,012	2,223	2,737	
25	58			1,021	1,146	1,270	1,516	1,880	2,238	2,474	3,051	
25	60					1,301	1,554	1,927	2,295	2,537	3,129	
25	70						1,742	2,163	2,578	2,851	3,522	
27	30				0,779	0,862	1,026	1,268	1,504	1,657		
27	40				0,920	1,019	1,215	1,503	1,786	1,971	2,423	
30	35				0,892	0,987	1,177	1,456	1,730	1,909	2,344	2,764
30	40				0,962	1,066	1,271	1,574	1,871	2,066	2,541	2,999
30	45				1,033	1,144	1,365	1,692	2,012	2,223	2,737	3,235
30	50					1,223	1,460	1,810	2,154	2,380	2,933	3,334
30	58					1,349	1,610	1,998	2,380	2,631	3,247	3,711
30	60					1,380	1,648	2,045	2,436	2,694	3,326	3,805
30	70						1,836	2,281	2,719	3,008	3,718	4,276
30	80						2,025	2,516	3,001	3,322	4,111	4,747
30	90						2,213	2,752	3,284	3,636	4,503	5,218
30	120							3,458	4,132	4,578	5,681	6,631
35	40			1,033	1,144	1,365	1,692	2,012	2,223	2,737	3,235	
35	45				1,223	1,460	1,810	2,154	2,380	2,933	3,470	
35	50					1,554	1,927	2,295	2,537	3,129	3,569	
35	60				1,458	1,742	2,163	2,578	2,851	3,522	4,040	
40	45				1,301	1,554	1,927	2,295	2,537	3,129	3,706	
40	50					1,648	2,045	2,436	2,694	3,326	3,805	
40	60				1,537	1,836	2,281	2,719	3,008	3,718	4,276	
40	70					2,025	2,516	3,001	3,322	4,111	4,747	
40	80					2,213	2,752	3,284	3,636	4,503	5,218	
40	100					2,590	3,223	3,849	4,264	5,288	6,160	
40	120						3,694	4,414	4,892	6,073	7,102	
45	50					1,742	2,163	2,578	2,851	3,522	4,040	
50	60					2,025	2,516	3,001	3,322	4,111	4,747	
50	70					2,213	2,752	3,284	3,636	4,503	5,218	
50	100						3,458	4,132	4,578	5,681	6,631	
60	80					2,590	3,223	3,849	4,264	5,288	6,160	
60	90					2,778	3,458	4,132	4,578	5,681	6,631	
60	100						3,694	4,414	4,892	6,073	7,102	
70	90					2,967	3,694	4,414	4,892	6,073	7,102	

andere Abmessungen auf Anfrage

other dimensions on request

Qualitäten / qualities:

EN 10305-5

EN 10139

EN 10149-2

EN 10346

Güten / grades:

E195 / E235 / E320 / E420 in S2 / S3

DC01 / DC04 / DC05 / DC06

S315MC / S355MC / S500MC / S700MC

DX51D / DX52D / DX53D / +Z275

andere Güten auf Anfrage / other grades on request